



**SIRIM QAS INTERNATIONAL SDN. BHD.** (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-007704  
Licence No : PC001048

Date : 07/02/2022

DONGKUK STEEL MILL CO. LTD.  
FERRUM TOWER 66 SUHA-DONG  
100-210 JUNG - GU  
SEOUL, KOREA

Attn : MR BOYEON KIM

Tel No : 822-3171069

Fax No : 822-3179025

Dear Sir/Madam,

**Product Certification Licence**

Product : HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL  
Standard : MS EN 10025-2 : 2011

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MOHD HAZIQ BIN MOHD NASIR  
Contact No : 603-55445976  
Email : haziq@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



**SIRIM**



PC 05102004 CB 01



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**DONGKUK STEEL MILL CO. LTD.  
FERRUM TOWER 66 SUHA-DONG  
100-210 JUNG - GU  
SEOUL, KOREA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**MS EN 10025-2 : 2011**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

**DONGKUK STEEL MILL CO. LTD.**



PC 05102004 CB 01



|            |                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Trade Mark | : DK                                                                                                                                                                                                                                                                                                                                                                                                          |
| Model      | : STEEL NAME : STRUCTURAL STEEL = S275, S355                                                                                                                                                                                                                                                                                                                                                                  |
| Rating     | : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS-ROLLED)                                                                                                                                                                                                                                                                                                                                          |
| Type       | : H-SECTION                                                                                                                                                                                                                                                                                                                                                                                                   |
| Size       | : METRIC SERIES;<br>HEIGHT (mm) x WIDTH (mm) x UNIT WEIGHT (kg/m) x THICKNESS (mm) =<br>100x100x16.9x6.0,<br>125x125x23.6x6.5,<br>150x75x14.0x5.0,<br>148x100x20.7x6.0,<br>150x150x31.1x7.0,<br>198x99x17.8x4.5,<br>200x100x20.9x5.5,<br>194x150x29.9x6.0,<br>200x200x49.9x8.0,<br>248x124x25.1x5.0,<br>250x125x29.0x6.0,<br>244x175x43.6x7.0,<br>250x250x71.8x9.0,<br>298x149x32.0x5.5,<br>300x150x36.7x6.5, |
| Size       | : 294x200x55.8x8.0,<br>300x300x93x10.0,<br>346x174x41.2x6.0,<br>350x175x49.4x7.0,<br>340x250x78.1x9.0,<br>350x350x135x12.0,<br>396x199x56.1x7.0,<br>400x200x65.4x8.0,<br>390x300x105x10.0,<br>400x400x172x13.0,<br>446x199x65.1x8.0.                                                                                                                                                                          |

# SCHEDULE

**DONGKUK STEEL MILL CO. LTD.**



**SIRIM**



PC 05102004 CB 01



|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Size       | : 450x200x74.9x9.0,<br>440x300x121x11.0,<br>496x199x77.9x9.0,<br>500x200x88.2x10.0,<br>482x300x111x11.0,<br>488x300x125x11.0,<br>596x199x92.5x10.0,<br>600x200x103x11.0,<br>582x300x133x12.0,<br>588x300x147x12.0                                                                                                                                                                                                                                                                                                                                                                                           |
| Trade Mark | : DK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Model      | : STEEL NAME : STRUCTURAL STEEL = S275, S355                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Rating     | : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS-ROLLED)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Type       | : H-SECTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Size       | : BRITISH STANDARD SERIES;<br>HEIGHT (mm) x WIDTH (mm) x UNIT WEIGHT (kg/m) x THICKNESS (mm) =<br>152x152x23x5.8,<br>152x152x30x6.5,<br>152x152x37x8.0,<br>203x203x46x7.2,<br>203x203x52x7.9,<br>203x203x60x9.4,<br>203x203x71x10.0,<br>203x203x86x12.7,<br>254x254x73x8.6,<br>254x254x89x10.3,<br>254x254x107x12.8,<br>254x254x132x15.3,<br>305x305x97x9.9,<br>305x305x118x12.0,<br>305x305x137x13.8,<br>305x305x158x15.8,<br>356x368x129x10.4,<br>356x368x153x12.3,<br>356x368x177x14.4,<br>203x133x25x5.7,<br>203x133x30x6.4,<br>356x171x45x7.0,<br>356x171x51x7.4,<br>356x171x57x8.1,<br>356x171x67x9.1 |

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

**Tarikh Mula Pensijilan : 28 February 2014**

*Certified Since*

**Sah Sehingga : 28 February 2023**

*Valid Until*

**Tarikh Dikeluarkan : 07 February 2022**

*Issue Date*

**No Siri : 071226**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

# SCHEDULE

**DONGKUK STEEL MILL CO. LTD.**



**SIRIM**



PC 05102004 CB 01



|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Trade Mark | : DK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Model      | : STEEL NAME : STRUCTURAL STEEL = S275, S355                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Rating     | : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS-ROLLED)                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Type       | : H-SECTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Size       | : AMERICAN STANDARD SERIES;<br>DEPTH/WIDTH (inch) x UNIT WEIGHT (lbs/ft) x THICKNESS (mm) =<br>W6"x4"x12x5.8,<br>W6"x4"x16x6.6,<br>W6"x15x5.8,<br>W6"x20x6.6,<br>W6"x25x8.1,<br>W8" x 5-1/4"x18x5.8,<br>W8" x 5-1/4"x21x6.4,<br>W8"x31x7.2,<br>W8"x35x7.9,<br>W8"x40x9.1,<br>W8"x48x10.2,<br>W8"x58x13.0,<br>W10"x49x8.6,<br>W10"x54x9.4,<br>W10"x60x10.7,<br>W10"x68x11.9,<br>W10"x77x13.5,<br>W10"x88x15.4,<br>W12"x8"x40x7.5,<br>W12"x8"x45x8.5,<br>W12"x8"x50x9.4,<br>W12"x65x9.9,<br>W12"x72x10.9,<br>W12"x79x11.9, |
| Size       | : W12"x87x13.1,<br>W12"x96x14.0,<br>W12"x106x15.5,<br>W14" x 6-3/4"x30x6.9,<br>W14" x 6-3/4"x34x7.2,<br>W14" x 6-3/4"x38x7.9,<br>W14" x 14-1/2"x90x11.2,<br>W14" x 14-1/2"x99x12.3,<br>W14" x 14-1/2"x109x13.3,<br>W14" x 14-1/2"x120x15.0                                                                                                                                                                                                                                                                               |

# SCHEDULE

**DONGKUK STEEL MILL CO. LTD.**



PC 05102004 CB 01



Trade Mark : DK  
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355  
Rating : QUALITY DESIGNATION = JR, J0;  
DELIVERY CONDITION = +AR (AS-ROLLED)  
Type : CHANNEL  
Size : METRIC SERIES;  
HEIGHT(mm) x WIDTH(mm) x UNIT WEIGHT (kg/m) x THICKNESS (mm) =  
200x80x24.6x7.5,  
200x90x30.3x8.0,  
250x90x34.6x9.0

**Factory Name and Location :**  
**DONGKUK STEEL MILL CO. LTD.**  
**195 CHEOLGANGSANDAN-RO**  
**DAESONG-MYEON, NAM-GU**  
**790-841 POHANG, KOREA**

*End of page*